

Aluminium Skinner

EN AW 6082 T6

Sertifikat iht EN10204 3.1

CE Merket

The logo for BAUTA metal, featuring the word "BAUTA" in large white letters with a teal vertical bar to the left of the 'A', and the word "metal" in smaller teal letters below it.

Varenr	Dimensjon	Lengder	Kg/mtr	Kg/stk
	30 x 5,00 mm	6	0,42	2,52
	30 x 6,00 mm	6	0,51	3,06
	40 x 5,00mm	6	0,56	3,36
	40 x 10,00 mm	6	1,12	6,72
	50 x 5,00 mm	6	0,7	4,2
	50 x 6,00 mm	6	0,84	5,04
	50 x 8,00 mm	6	1,12	6,72
	50 x 10,00 mm	6	1,4	8,4
	50 x 20,00 mm	6	2,8	16,8
	60 x 10,00 mm	6	1,68	10,08
	60 x 20,00 mm	6	3,35	20,1
	60 x 5,00 mm	6	0,84	5,04
	65 x 8,00 mm	6	1,46	8,76
	100 x 8,00mm	6	2,24	13,44
	100 x 10,00 mm	6	2,8	16,8
	100 x 12,00 mm	6	3,36	20,16
	100 x 20,00 mm	6	5,6	33,6
	100 x 15,00 mm	6	4,1	24,6
	120 x 10,00 mm	6	3,36	20,16
	150 x 15,00 mm	6	6,3	37,8
	200 x 10,00 mm	6	5,6	33,6

Aluminium Firkantbolt

Massiv

EN AW 6082 T6

Sertifikat iht EN10204 3.1

CE Merket

The logo for BAUTA metal, featuring the word "BAUTA" in large white letters with a teal vertical bar to the left of the 'A', and the word "metal" in smaller teal letters below it.

Varenr	Dimensjon	Lengder	Kg/mtr	Kg/stk
	20 x 20 mm	6	1,08	6,48

30 x 30 mm	6	2,43	14,58
40 x 40 mm	6	4,48	26,88
50 x 50 mm	6	7	42

Aluminium Vinkel

EN AW 6082 T6

Sertifikat iht EN10204 3.1

CE Merket



Varenr	Dimensjon	Lengder	Kg/mtr	Kg/stk
	30 x 30 x 3,00 mm	6	0,48	2,88
	30 x 30 x 5,00 mm	6	0,78	4,68
	40 x 40 x 4,00 mm	6	0,86	5,16
	50 x 50 x 5,00 mm	6	1,33	7,98
	50 x 50 x 6,00 mm	6	1,58	9,48
	60 x 60 x 6,00 mm	6	1,92	11,52
	70 x 70 x 8,00mm	6	2,86	17,16
	100 x 100 x 10,00 mm	6	5,32	31,92
	50 x 30 x 4,00 mm	6	0,84	5,04
	60 x 30 x 5,00 mm	6	1,2	7,2
	60 x 35 x 6,00 mm	6	1,45	8,7
	65 x 50 x 6,00 mm	6	1,77	10,62
	75 x 50 x 6,00 mm	6	2	12
	75 x 50 x 8,00 mm	6	2,62	15,72
	100 x 50 x 6,00 mm	6	2,42	14,52
	100 x 50 x 8,00 mm	6	3,18	19,08
	100 x 65 x 8,00 mm	6	3,52	21,12
	130 x 65 x 8,00 mm	6	4,19	25,14
	150 x 100 x 10,00 mm	6	6,72	40,32
	200 x 100 x 10,00 mm	6	8,12	48,72

Aluminium U-profil

EN AW 6082 T6

Sertifikat iht EN10204 3.1

CE Merket





Varenr	Dimensjon	Lengder	Kg/mtr	Kg/stk
	50 x 75 x 50 x 7 x 6mm	6	2,92	17,52

Aluminium Rundbolt

Massiv

EN AW 6082 T6

Sertifikat iht EN10204 3.1

CE Merket



Varenr	Dimensjon	Lengder	Kg/mtr	Kg/stk
	10 mm	6	0,21	1,05
	12 mm	6	0,31	1,86
	20 mm	6	0,86	5,16
	25 mm	6	1,34	8,04
	30 mm	6	1,93	11,58
	40 mm	6	3,52	21,12
	50 mm	6	5,5	33
	60 mm	6	7,92	47,52
	80 mm	6	14,07	84,42
	100 mm	3,5	22	77

Aluminium T-profil

EN AW 6082 T6

Sertifikat iht EN10204 3.1

CE Merket



Varenr	Dimensjon	Lengder	Kg/mtr	Kg/stk
--------	-----------	---------	--------	--------


50 x 50 x 6 mm	6	1,59	9,54
60 x 60 x 4 mm	6	1,26	7,56

Aluminium Fenderprofil

EN AW 6082 T6
 Sertifikat iht EN10204 3.1
 CE Merket



Varenr	Dimensjon	Lengder	Kg/mtr	Kg/stk
--------	-----------	---------	--------	--------



6 1,43